

COMBIVERT

efesotomasyon.com



CRANES



Cranes - customised drive



- *Construction cranes*
- *Container cranes*
- *Harbour cranes*
- *Overhead cranes*
- *Balance cranes*

Powered and controlled by KEB!

drive solutions worldwide

COMBIVERT F5 range


200 V : 1.5 ...45 kW

400 V : 0.75 ...800 kW

690 V : 200 ...900 kW



Bus structures



Features for your crane:
various speed interface cards available



e.g. with detection of
overspeed / overacceleration

Various cooling concepts



forced ventilation



liquid cooled



push through



flat rear

Profit from our longstanding experience in electronic drives!

with Unified Drive


F5 APPLICATION

Single - Drive Application Master


KEB Open Operator



flash programming of the open operator
by customer or KEB
C / Assembler as programming language



- easy commissioning and supervision of the system by using Inverter Scope function



Safe protection against unintended restart


- in agreement with the trade association the emergency stop category 3, EN 954-1 is achieved
- with checkback contact by means of relay on the control board
- optional equipment

KEB Crane Control F5

e.g. single axis control within operator

- hoisting and luffing function
- special crane parameters „operator parameter“
- activation of crane control by parameter
- specific parameters are exchanged between operator and inverter by process data communication
- set speed via analogue joystick
- 0 ... 10 V equivalent to 0 ... max. speed
- start with input FOR / REV
- setting of gear ratio
- load weighting (torque / load) before movement
- also load weighting when going through speed 0
- filter for torque measurement
- correction factor for measured torque up/down
- push button for positioning mode
- setting of output at overload

- setting of max. speed according to measured load / torque (16 values)




Platform

Multi-Axis-Application Master

With the **COMBICONTROL C5** a new option is available that is designed to act as the interface between the main control, PLC, IPC etc and the motor drives. Possibly it can even replace the main control completely.

Used together with the **COMBIVERT F5** series of drives, the **COMBICONTROL C5** offers an effective alternative solution to currently employed methods. The C5 is free to be programmed working with the programming method according to IEC 61131-3.



Application example for drive control



e.g. **overhead crane control**
for



- travel
- hoist
- trolley



KEB - your reliable partner

Components

EMC Solutions




KEB design, manufacture and supply a comprehensive range of input / output filters and chokes. Those products can be used to make machinery compliant with the relevant EMC regulations as well as to improve operating conditions. **KEB** experts in the field of EMC offer advice and support during the selection process of the suitable products. For on site testing a mobile EMC service is available.



The new **KEB COMBILINE HARMONIC FILTER** is the latest innovative solution designed by our team of highly skilled engineers to combat such problems. It can be designed in at the planning stage and simply replace the traditional line reactor. With this solution compliance to the following standards are achieved:

- IEEE 519 - 1992 (USA)
- G5/4 Engineering Recommendation (GB)
- EN 61000-3-2; bis16 A
- EN 61000-3-12; 16 A bis 75 A
- EN 61000-3-4
- EN 12015 (lift norm Europa)
- AS 2279 (Australia)
- COP, supply rules (Hongkong)
- Quality of Electric Energy Supply, Harmonics in Public Supply Network (China)


Voltage and current at harmonic filters




Supply and Regenerative Units **COMBIVERT R6**

regenerative power supply power

20.5 and 41 kW, can be multiplied by parallel installation
22.3 and 44.5 kW



Braking resistors



Usually used for the absorption of generative energy. Noiseless braking with the compact submounted modules to absorb pulse energy, or universal side-mounted units.

The Program of the industrial geared motors is based on many years of production experience using the most modern design methods, it is a flexible modular systems for a large variety of customer requirements. Compact and functional design with extensive power reserves. Rugged construction with a high level of rigidity combine optimum dynamic characteristics for mains and inverter operation and high variability in the mechanical and electrical customer requirement, through the attachment of brakes, encoder, ventilation systems.



Gearbox Technology

Industrial geared motors in the designs

- Inline helical gear 0.12... 45kW
- Helical bevel gear 0.12... 30kW
- Shaftmounted helical gear 0.12... 30kW
- Helical worm gear 0.12... 11kW

Magnet Technology

- Electro-magnetic clutches and brakes
- Spring applied brakes
- Permanent magnet brakes
- Rectifier and switchgear

people in motion



KEB Antriebstechnik Austria GmbH • Ritzstraße 8 • **A** - 4614 Marchtrenk
Tel.: +43 7243 53586-0 • Fax: +43 (0) 7243 53586-21
Internet: www.keb.at • E-Mail: info@keb.at



KEB Antriebstechnik Austria GmbH / Organizacni slozka • K. Weise 1675/5 • **CZ** - 37004 České Budějovice
Tel.: +420 38 76991-11 • Fax: +420 38 76991-19
Internet: www.keb.at • E-Mail: info@seznam.cz



KEB Antriebstechnik • Herenveld 2 • **B** - 9500 Geraardsbergen
Tel.: +32 5443 7860 • Fax: +32 5443 7898
E-Mail: vb.belgien@keb.de



KEB Power Transmission Technology (Shanghai) Co., Ltd
No. 435 QianPu Road, Songjiang East Industrial Zone • **CHN** - 201611 Shanghai, P.R. China
Tel.: +86 21 37746688 • Fax: +86 21 37746600 • Internet: www.keb.cn • E-Mail: info@keb.cn



Société Française KEB • Z.I. de la Croix St. Nicolas • 14, rue Gustave Eiffel • **F** - 94510 LA QUEUE EN BRIE
Tél.: +33 1 49620101 • Fax: +33 1 45767495
Internet: www.keb.fr • E-Mail: info@keb.fr



KEB (UK) Ltd. • 6 Chieftain Buisness Park, Morris Close • Park Farm, Wellingborough, **GB** - Northants, NN8 6 XF
Tel.: +44 1933 402220 • Fax: +44 1933 400724
Internet: www.keb-uk.co.uk • E-Mail: info@keb-uk.co.uk



KEB Italia S.r.l. • Via Newton, 2 • **I** - 20019 Settimo Milanese (Milano)
Tel.: +39 02 33535311 • Fax: +39 02 33500790
Internet: www.keb.it • E-Mail: info@keb.it



KEB - Japan Ltd. • 15 - 16, 2-Chome • Takanawa Minato-ku • **J** - Tokyo 108 - 0074
Tel.: +81 33 445-8515 • Fax: +81 33 445-8215
Internet: www.keb.jp • E-Mail: info@keb.jp



KEB KOREA • Representative Office, Room 1709, 415 Missy 2000, 725 Su Seo Dong, Gang Nam Gu
ROK - 135-757 Seoul / South Korea
Tel.: +82 2 6253-6771 • Fax: + 82 (0) 2 6253-6770 • Internet: www.kebkorea.com • E-Mail: vb.korea@keb.de



KEB - RUS Ltd. • Lesnaya str, house 30, Dzerzhinsky (MO) • **RUS** - 140091 Moscow region / Russia
Tel.: + 7 495 6320217 • Fax: +7 495 6320217
Internet: www.keb.ru • E-Mail: info@keb.ru



KEB Sverige • Box 265 (Bergavägen 19) • **S** - 43093 Hälsö
Tel.: +46 31 961520 • Fax: +46 31 961124
E-Mail: vb.schweden@keb.de



KEB España • C / Mitjer, Nave 8 Poligono Industrial "La masia" • **E** - 08798 Sant Cugat Sesgarrigues (Barcelona)
Tel.: +34 93 8970268 • Fax: +34 93 8992035
E-Mail: vb.espana@keb.de



KEB America, Inc. • 5100 Valley Industrial Blvd. South • **USA** - Shakopee, MN 55379
Tel.: +1 952 2241400 • Fax: +1 952 2241499
Internet: www.kebamerica.com • E-Mail: info@kebamerica.com



KEB Antriebstechnik GmbH • Wildbacher Str. 5 • **D** - 08289 Schneeberg
Tel.: +49 3772 67-0 • Fax: +49 3772 67-281
Internet: www.keb.de • E-Mail: info@keb-combidrive.de



Karl E. Brinkmann GmbH
Försterweg 36 - 38 • **D** - 32683 Barntrop
Telefon +49 5263 401-0 • Telefax 401-116
Internet: www.keb.de • Email: info@keb.de